

230 MARCUS BLVD. - HAUPPAUGE, NY 11788 (631) 273 - 0900 CALL FOR THE LATEST VERSION OF THIS MSDS

MATERIAL SAFETY DATA SHEET

REPLACES: WRITTEN BY: KRISTEN NANTISTA

4/26/02 **DATE**: 27-Dec-04 SIGNATURE

Kristex Nantista

1. IDENTIFICATION OF THE MATERIAL AND THE PRODUCER

COMMERCIAL NAME: <u>CLORPACTIN WCS-90</u>

CHEMICAL NAME:

(CAS No:)

TELEPHONE:

Oxychlorosene

CONTACT: J. VERNICE

2. COMPOSITION / INFORMATION OF THE INGREDIENTS

HAZARDOUS MATERIALS: Ca(OCI)2 (up to 8% available chlorine)

(631) 273 - 0900

3. IDENTIFICATION OF THE DANGERS

INHALATION: CONCENTRATED POWDER IS CORROSIVE

SKIN: CONCENTRATED POWDER IS CORROSIVE

EYES: CONCENTRATED POWDER IS CORROSIVE

INTAKE: ND

4. FIRST AID MEASURES

INHALATION: REMOVE TO FRESH AIR. SEEK MEDICAL ATTENTION IF IRRITATION

DEVELOPS.

SKIN: WASH AFFECTED AREAS WITH COPIOUS AMOUNTS OF WATER. SEEK MEDICAL

ATTENTION IF IRRITATION DEVELOPS.

EYES: FLUSH EYES WITH WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION IF

IRRITATION PERSISTS.

INTAKE: SEEK MEDICAL ATTENTION.

BURNS: SEEK MEDICAL ATTENTION.

5. MEASURES IN CASE OF FIRE

EXTINGUISHING MEDIA:

WATER: Yes FOAM: Yes CO2: Yes

SPECIAL PROCEDURES: Wear SCBA. Caution! Emits toxic and irritating Cl2 upon heating above

175 C.

UNUSUAL HAZARDS: Explosive when heated with organic matter, reducing agents, ammonia

and others.

LEL: ND UEL: ND

6. MEASURES IN CASE OF ACCIDENTAL LEAK

SPILL PROCEDURES: Ventilate area. Remove unnecessary personnel. Neutralize spills with dilute

sodium thiosulfate solution. Scoop up spills and transfer to an approved waste

disposal container.

7. HANDLING AND STOCKING

HANDLING PROCEDURES: Store under refrigeration (3-8 deg. C).

INCOMPATABILITY: Organic matter, acids, amines, ammonia, metals.

8. CONTROL TO EXPOSURE / INDIVIDUAL PROTECTION

VENTILATION: Local.

RESPIRATORY PROTECTION: Recommended when handling large amounts.

EYE PROTECTION: Recommended.

GLOVES: Recommended to avoid undesired contact.

OTHER PROTECTION: Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: FINE POWDER **pH:** .25% 6.4-6.8

COLOR: WHITE

ODOR: CHLORINE

CHANGE IN PHYSICAL STATE: ND

VISCOSITY: NA

SOLUBILITY: WATER: Dispersible.

DENSITY: 1.21 g/cc tapped **BULK DENSITY:** ND

FLASH POINT: ND IGNITION: ND

EXPLOSION LIMITS: ND **VAPOR PRESSURE:** Negligible.

10. STABILITY AND REACTIVITY

STABILITY: Reactive Oxidizer.

CONDITIONS TO AVOID: High temperatures and humidities.

INCOMPATIBILITY: Organic matter, acids, amines, ammonia, metals.

HAZARDOUS DECOMPOSTION PRODUCT CI2, HOCI, HCI.

HAZARDOUS POLYMERIZATION: WILL OCCUR: WILL NOT OCCUR: XX

11. TOXICOLOGICAL INFORMATION

TLV: 0.5 ppm (TWA) 1 ppm (STEL) **PEL:** 0.5 ppm (TWA) 1 ppm (STEL)

EFFECTS OF OVEREXPOSURE: May irritate respiratory system, eyes and mucous membranes.

TOXICITY: Not considered toxic at normal use concentrations

CARCINOGEN STATUS: Not considered to be a carcinogen.

12. ECOLOGICAL INFORMATION

DEGRADATION: ND

AQUATIC TOXICITY: ND

13. CONSIDERATION ON DISPOSAL

DISPOSAL PROCEDURES: Consult local, state and federal regulatory agencies for proper disposal.

14. TRANSPORT INFORMATION

GGVSee/IMDG CODE:: ND UN No: ND

GGVE/GGVS: ND ICAO/IATA-DGR: ND

RID/ADR: ND ADNR: ND

DOT CLASSIFICATION: Not Regulated.

HAZARDOUS MATERIAL ID: None.

15. INFORMATION ON CURRENT REGULATIONS

HAZARD SYMBOL: ND

R-PHRASES: ND

S-PHRASES: ND

HMIS RATING: Health: 1 HMIS RATINGS:

Flammability: 1 0 - MINIMAL 3 - SERIOUS

Reactivity: 2 1 - SLIGHT 4 - SEVERE

2 - MODERATE

16. OTHER INFORMATION

The information contined herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the user thereof. United-Guardian, Inc. assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risk associated with the use of this material.

LEGEND:

ND - NOT DETERMINED NA - NOT APPLICABLE